

Ref. **1890**

BROCA-MARTILLO SDS PLUS

SDS plus Rotary Hammer Drill Bit
Foret percussion SDS plus



Hormigón
Concrete
Béton

Hormigón Bloque
Concrete Block
Parpaing



Puntos de desbaste efecto "demolición".
Producen micro-fisuras en el material.

"Demolition" effect power breakers.
Produce micro cracks in the material.

Points d'ébauche effet "démolition".
Produit des micro-fissures dans le matériel.



Punta centrado inmediato.
Previene que resbale en superficies lisas.

Immediate centering tip.
Prevent skidding on smooth surfaces.


Pointe Autocentrage immédiat.
Il prévient le glissement sur Surfaces lisses.





Chañflanes de acero corrugado más extenso (+35%).
Previenen daños laterales en la punta.

Enlarged rebar chamfers (+35%).
Prevent side tip damage.

Chanfreins aciers contractés plus étendus (+35%).
Il prévient des dommages aux côtés de la pointe.

D mm	L mm	I mm		Nº Art.	€
4,0	110	50	1	30245	4,20
4,0	160	100	1	43405	5,11
5,0	110	50	1	30246	3,04
5,0	160	100	1	30247	3,96
5,0	210	150	1	42770	6,32
5,0	260	200	1	70631	7,67
5,0	310	250	1	69445	8,47
5,0	360	300	1	70633	13,32
5,0	460	400	1	70634	23,06
5,5	110	50	1	23976	3,53
5,5	160	100	1	23977	4,44
5,5	210	150	1	70636	7,28
5,5	260	200	1	69446	9,44
5,5	310	250	1	70637	11,09
6,0	110	50	1	30248	3,12
6,0	160	100	1	18538	3,60
6,0	210	150	1	30249	5,96
6,0	260	200	1	30251	7,66
6,0	310	250	1	70639	11,97
6,0	460	400	1	69448	16,02
6,5	110	50	1	23978	3,58
6,5	160	100	1	23979	4,20
6,5	260	200	1	59957	9,09
7,0	110	50	1	30252	4,52
7,0	160	100	1	30253	4,84
7,0	210	150	1	68614	6,14
7,0	250	200	1	19592	8,71
8,0	110	50	1	30254	3,77
8,0	160	100	1	18540	3,95
8,0	210	150	1	30255	5,38
8,0	260	200	1	30256	7,64
8,0	460	400	1	30257	16,02
8,0	1000	950	1	70030	55,45

D mm	L mm	I mm		Nº Art.	€
9,0	160	100	1	11518	6,01
9,0	210	150	1	11519	6,55
10,0	110	50	1	30261	4,51
10,0	160	100	1	30262	5,05
10,0	210	150	1	18541	6,07
10,0	260	200	1	30263	8,93
10,0	310	250	1	30264	10,36
10,0	450	400	1	30266	16,76
10,0	600	550	1	30267	23,47
10,0	800	740	1	70640	36,34
10,0	1000	950	1	69911	56,08
11,0	160	100	1	11520	6,63
11,0	210	150	1	25600	6,71
11,0	260	200	1	11521	10,27
12,0	160	100	1	30270	5,36
12,0	210	150	1	30271	6,79
12,0	260	200	1	30273	9,66
12,0	310	250	1	42771	13,02
12,0	450	400	1	30414	15,34
12,0	600	550	1	30275	24,30
12,0	800	750	1	69916	39,43
12,0	1000	950	1	30269	58,05
13,0	160	100	1	30276	6,40
13,0	210	150	1	74789	10,01
13,0	310	250	1	30278	12,58
13,0	450	400	1	55407	20,73
14,0	160	100	1	30280	7,38
14,0	210	150	1	30281	10,77
14,0	260	200	1	42772	12,92
14,0	310	250	1	30283	13,63
14,0	450	400	1	30284	17,92
14,0	600	550	1	30285	26,61
14,0	1000	950	1	30279	63,10

D mm	L mm	I mm		Nº Art.	€
15,0	160	100	1	30286	10,25
15,0	210	150	1	69917	12,50
15,0	260	200	1	42773	13,37
15,0	450	400	1	70642	22,38
16,0	160	100	1	30291	10,25
16,0	210	150	1	30292	12,50
16,0	260	200	1	42774	13,48
16,0	310	250	1	30294	14,42
16,0	450	400	1	30295	21,31
16,0	600	550	1	30296	28,63
16,0	800	750	1	30298	46,87
16,0	1000	950	1	30290	71,65
18,0	200	150	1	30300	16,05
18,0	300	250	1	30413	21,34
18,0	450	400	1	30303	24,33
18,0	1000	950	1	30299	73,67
20,0	200	150	1	30306	22,31
20,0	300	250	1	30309	25,04
20,0	450	400	1	30311	31,59
20,0	600	550	1	30312	46,87
20,0	1000	950	1	30305	74,72
22,0	250	200	1	30314	28,66
22,0	450	400	1	30317	39,91
22,0	600	550	1	23980	47,78
22,0	1000	950	1	23986	75,42
24,0	250	200	1	30319	33,44
24,0	450	400	1	30322	43,40
25,0	250	200	1	30324	36,21
25,0	450	400	1	30327	46,41
25,0	1000	950	1	23987	83,31
26,0	250	200	1	11522	45,36
26,0	450	400	1	30330	51,22